

Bertram A. F. Wehrfritz

On soluble groups of module automorphisms of finite rank

Czechoslovak Mathematical Journal, Vol. 67 (2017), No. 3, 809–818

Persistent URL: <http://dml.cz/dmlcz/146861>

Terms of use:

© Institute of Mathematics AS CR, 2017

Institute of Mathematics of the Czech Academy of Sciences provides access to digitized documents strictly for personal use. Each copy of any part of this document must contain these *Terms of use*.



This document has been digitized, optimized for electronic delivery and stamped with digital signature within the project *DML-CZ: The Czech Digital Mathematics Library* <http://dml.cz>

ON SOLUBLE GROUPS OF MODULE AUTOMORPHISMS
OF FINITE RANK

BERTRAM A. F. WEHRFRITZ, London

Received April 18, 2016. First published August 9, 2017.

Abstract. Let R be a commutative ring, M an R -module and G a group of R -automorphisms of M , usually with some sort of rank restriction on G . We study the transfer of hypotheses between $M/C_M(G)$ and $[M, G]$ such as Noetherian or having finite composition length. In this we extend recent work of Dixon, Kurdachenko and Otal and of Kurdachenko, Subbotin and Chupordia. For example, suppose $[M, G]$ is R -Noetherian. If G has finite rank, then $M/C_M(G)$ also is R -Noetherian. Further, if $[M, G]$ is R -Noetherian and if only certain abelian sections of G have finite rank, then G has finite rank and is soluble-by-finite. If $M/C_M(G)$ is R -Noetherian and G has finite rank, then $[M, G]$ need not be R -Noetherian.

Keywords: soluble group; finite rank; module automorphisms; Noetherian module over commutative ring

MSC 2010: 20F16, 20C07, 13E05, 20H99

Kurdachenko, Subbotin and Chupordia's paper [3] is devoted to proving the following theorem. Let R be an integral domain, M an R -module and G a subgroup of $\text{Aut}_R M$ such that $M/C_M(G)$ has a composition series as R -module of finite length, l say. If p is the characteristic of some R -composition factor of $M/C_M(G)$ (so p is a prime or zero), assume that there is a (finite) bound r_p on the ranks of the elementary abelian p -sections (free abelian sections if $p = 0$) of G . Then $[M, G]$ also has finite R -composition length. Moreover, this length can be bounded, for example in terms of the l , p and r_p above. (The case where R is a field had earlier been discussed by Dixon, Kurdachenko and Otal in [2].) The authors regard this as at least a superficial analogue of Schur's theorem (e.g. [9], 1.18) that if the centre of some group G has finite index in G , then the derived subgroup of G is also finite.

Here we give a much shorter proof of this theorem. Actually we lengthen our proof a little in order to prove rather more, but we indicate below which lemmas can be omitted just to obtain a proof of this theorem from [3].

Throughout this paper R denotes a commutative ring and M an R -module. Let $\pi(M)$ denote the set of primes p such that M contains an element of additive order p together with 0 if M contains an element of infinite additive order. (If M has finite R -composition length, then $\pi(M)$ is the same as the set of primes and possibly zero considered in the theorem quoted above from [3], see below.) Note that if M is Noetherian, then the \mathbb{Z} -torsion submodule of M has finite exponent $e(M)$ and hence $\pi(M)$ is finite. In order to cover all cases simultaneously, by an elementary abelian 0-group we mean a free abelian group.

Proposition 1. *Suppose M is Noetherian as R -module. Let G be a subgroup of $\text{Aut}_R M$ such that for every $p \in \pi(M)$ every elementary abelian p -section of G has finite rank. Then G is soluble-by-finite and has finite rank. If $0 \notin \pi(M)$, then G is even abelian-by-finite.*

Whenever G is a subgroup of $\text{Aut}_R M$, let \mathfrak{g} denote the augmentation ideal of G in the group ring RG , so $C_M(G) = \text{Ann}_M(\mathfrak{g})$ and $[M, G] = M\mathfrak{g}$. We need a couple of small extensions to Proposition 1.

Proposition 2. *Let G be a subgroup of $\text{Aut}_R M$. If either*

- (a) *$M/C_M(G)$ has finite R -composition length and every elementary abelian p -section of G has finite rank for every p in $\pi(M/C_M(G))$, or*
- (b) *$M/C_M(G)$ is R -Noetherian and every elementary abelian p -section of G has finite rank for every p in $\pi(M\mathfrak{g})$, or*
- (c) *$M\mathfrak{g}$ is R -Noetherian and every elementary abelian p -section of G has finite rank for every p in $\pi(M\mathfrak{g})$,*

then G is soluble-by-finite and has finite rank.

We will see from the proofs of Propositions 1 and 2 that the rank of G and the index of its maximal soluble normal subgroup can be bounded in terms of the p -ranks for each p in $\pi(M/C_M(G))$ (or $\pi(M\mathfrak{g})$) and certain structural constants of these R -modules.

Proposition 3. *Let G be a subgroup of $\text{Aut}_R M$ of finite rank r , and s a positive integer.*

- (a) *If $M/\text{Ann}_M(\mathfrak{g}^s)$ has finite R -composition length l , then $M\mathfrak{g}^s$ has finite R -composition length at most lr^s .*
- (b) *If $M\mathfrak{g}^s$ has finite R -composition length l , then $M/\text{Ann}_M(\mathfrak{g}^s)$ has finite R -composition length at most lr^s .*

(c) If $M\mathfrak{g}^s$ is R -Noetherian, then $M/\text{Ann}_M(\mathfrak{g}^s)$ is R -Noetherian.

Note that the theorem from [3] quoted above follows at once from Proposition 2 (a) and Proposition 3 (a) with $s = 1$ (and with R an integral domain). Further, Theorem A of [2] also follows at once from Propositions 2 and 3 (with R a field), but Proposition 2 is not strong enough to read off Theorems B and C of [2]. At the end of this paper we give some simple examples limiting possible extensions of Propositions 2 and 3. However, [2] is devoted to the case where $R = F$ is a field and in this case a much stronger version of Proposition 2 holds. The reason for this is that $\pi(M) = \{\text{char}F\}$ for all nonzero vector spaces M over F . Theorems B and C of [2] are immediate from Proposition 3 and Proposition 4 below.

Proposition 4. *Let $R = F$ be a field of characteristic $p \geq 0$, s a positive integer, M a vector space over F and G a subgroup of $\text{Aut}_F M$ such that either $M/\text{Ann}_M(\mathfrak{g}^s)$ or $M\mathfrak{g}^s$ is finite dimensional. If every elementary abelian p -section of G has finite rank, then G is soluble-by-finite and of finite rank.*

For brevity, if in some situation involving integers a, b, c etc. there is an integer-valued function f only of the variables b, c etc. and of none of the other information in the situation such that $a \leq f(b, c, \dots)$, we shall often just say that a is (b, c, \dots) -bounded.

Lemma 1. *Let G be a subgroup of $\text{GL}(n, F)$, where n is a positive integer and F is a field of characteristic 0. Suppose that every free abelian section of G has finite rank. Then G has finite rank, r say, and G is soluble-by-finite and n -bounded. If r_0 is the upper bound of the ranks of the free abelian sections of G , then $r_0 \leq r \leq f_0(n, r_0)$ for f_0 being some integer-valued function of n and r_0 only.*

Proof. Clearly G can contain no non-cyclic free subgroups. Hence by Tits's theorem ([5], 10.17, but see also [5], 10.11) the group G has a soluble normal subgroup S whose index $(G : S)$ in G is finite and n -bounded. Now S contains a triangularizable (over the algebraic closure \hat{F} of F) normal subgroup T of G with S/T finite and n -bounded (see Proposition 1 of [7]), so $(G : T)$ is n -bounded.

If U is the unipotent radical of T , then U is nilpotent of class less than n and its upper central factors are torsion-free. Hence U has finite rank (at most $r_0(n-1)$ once we know that r is finite). Also $A = T/U$ embeds into the diagonal group $D(n, \hat{F})$. Thus, its torsion subgroup $\tau(A)$ has rank at most n while $A/\tau(A)$ has finite rank (at most r_0). Hence, T has finite rank and consequently so does G . Moreover the above then shows that

$$r_0 \leq r \leq (r_0 + 1)n + (G : T)$$

and $(G : T)$ is n -bounded. Hence, r is (n, r_0) -bounded. □

Lemma 2. *Let G be a subgroup of $\mathrm{GL}(n, F)$, where n is a positive integer and F is a field of characteristic $p > 0$. Suppose that every elementary abelian p -section of G has finite rank. Then G has finite rank, r say. If r_p is the upper bound of the ranks of the elementary abelian p -sections of G , then G is abelian-by-finite and (p, n, r_p) -bounded and $r_p \leq r \leq f_p(n, r_p)$ for f_p being some integer-valued function of n and r_p only.*

Proof. Here Tits's theorem ([5], 10.17) only yields a soluble normal subgroup S of G with G/S locally finite, but [7], Proposition 1, does at least yield a triangularizable (over \hat{F}) normal subgroup $T \leq S$ of G with $(S : T)$ n -bounded.

If U again denotes the unipotent radical of T , then U has a central series of length less than n with its factors being elementary abelian p -groups. Thus, U is finite, say of order q , where $\log_p q \leq r_p(n - 1)$. Now $C = C_T(U)$ is nilpotent of class at most 2 (for T/U is abelian). Hence C^q is abelian. Set $A = C_G C_G(C^q)$. Then A is an abelian normal subgroup of G containing C^q (it is the centre of $C_G(C^q)$) and G/A is isomorphic to a subgroup of $\mathrm{GL}(n^2, F)$, see [5], 6.2.

Now $(S : T)$ is finite and n -bounded, $(T : C)$ divides $q!$ and $(C : C^q)$ is a finite power of p with $\log_p(C : C^q) \leq (r_p + 1)r_p(n - 1)$. Thus, $(S : A)$ is finite and (p, n, r_p) -bounded. In particular, G/A is locally finite and embeddable into $\mathrm{GL}(n^2, F)$. Further, a Sylow p -subgroup of G/A is finite, say of order p^α , where $\alpha \leq r_p(n^2 - 1)$. By the Brauer-Feit theorem (see [1] or [5], 9.6 and 9.7 for summary) there is an integer-valued function $f(m, n, p)$ of the exhibited variables only such that G/A has an abelian normal subgroup B/A of finite index with $(G : B) \leq f(r_p(n^2 - 1), n^2, p)$. In particular, B is soluble, so we may choose $S = B$. Consequently $(B : A)$ is finite and (p, n, r_p) -bounded. Finally, the torsion subgroup $\tau(A)$ has finite rank at most $\max\{n, r_p\}$ and $A/\tau(A)$ has finite rank at most r_p . Thus, A has finite rank and hence so does G . Also

$$r_p \leq r \leq 2r_p + n + (B : A) + f(r_p(n^2 - 1), n^2, p),$$

which is (p, n, r_p) -bounded. □

Proof of Proposition 1. There exists a positive integer n (depending only on M) and for each p in $\pi(M)$ a field F_p of characteristic p such that G (indeed $\mathrm{Aut}_R M$) embeds into the direct product over $p \in \pi(M)$ of the $\mathrm{GL}(n, F_p)$, see [8], 6.1 and 6.2, or less explicitly [6]. By Lemmas 1 and 2 for each p in $\pi(M)$ there exists a normal subgroup N_p of G such that G/N_p is soluble-by-finite (even abelian-by-finite if $p < 0$) of finite rank and with $I_p N_p = \langle 1 \rangle$. Since $\pi(M)$ is finite, the claims of Proposition 1 follow. Clearly the rank r of G can be bounded in terms of n , $\pi(M)$ and for each $p \in \pi(M)$ by the upper bound r_p of the ranks of the elementary abelian p -sections of G . □

Consider a module X over the commutative ring R . If X is Noetherian, then the \mathbb{Z} -torsion submodule T of X has finite exponent e say. If Y is an R -submodule of X with X/Y irreducible of characteristic $p > 0$ and Y irreducible of characteristic 0, then $pX = Y$. Thus, if $P = \{x \in X: px = 0\}$, then $X/P \cong Y$, $P \cap Y = \{0\}$ and $P \cong X/Y$. Suppose X has a composition series (as R -module) of finite length. The above implies that the composition factors of X/T all have characteristic 0. Necessarily those of T have characteristics dividing e . It follows that $\pi(X)$ is equal to the set of characteristics of the composition factors of X . Also if φ is any R -homomorphism of X , then $T\varphi$ is the \mathbb{Z} -torsion submodule of $X\varphi$, $\pi(X\varphi) \subseteq \pi(X)$ and $e(X\varphi)$ divides $e(X)$.

Lemma 3. *Let \mathbf{X} be a class of R -modules that is closed under taking homomorphic images and direct sums of finitely many modules. Let M be an R -module and G a finitely generated subgroup of $\text{Aut}_R M$ such that $M/C_M(G) \in \mathbf{X}$. Then $[M, G] \in \mathbf{X}$.*

Proof. Let $G = \langle x_1, x_2, \dots, x_s \rangle$ and $N = [M, G]$. Now each $M(x_i - 1) \cong M/C_M(x_i)$ is an image of $M/C_M(G)$ and hence each $M(x_i - 1) \in \mathbf{X}$. Now $N = \sum_i M(x_i - 1)$ since

$$M(xy - 1) \leq M(x - 1) + M(y - 1), \quad x, y \in G$$

and hence N is an image of $\bigoplus_i M(x_i - 1)$. Therefore $N \in \mathbf{X}$. □

Proof of Proposition 2 (a) and 2 (b). Set $N = C_M(G)$ and $C = C_G(M/N)$. By Proposition 1 the group G/C is soluble-by-finite and of finite rank. If $g \in C$, then $g\alpha g - 1$ determines an embedding of C into the additive group of $H = \text{Hom}_R(M/N, [M, C])$. In particular, G is soluble-by-finite.

If $g \in G$, then $M(g - 1)$ is an image of M/N . Suppose M/N has finite R -composition length. If $e = e(M/N)$ and if T is the \mathbb{Z} -torsion submodule of $[M, G]$, then $e(T \cap [M, H]) = \{0\}$ for every finitely generated subgroup H of G by Lemma 3 and hence $eT = \{0\}$. If C contains an element of a prime order p , then so does H and hence so does $[M, C]$. Therefore p divides e and the p -component of C has, by hypothesis, finite rank. If C contains an element of infinite order, then so does H . But T has finite exponent and hence M/N contains an element of infinite order. Therefore $0 \in \pi(M/N)$ and so the \mathbb{Z} -torsion-free quotient of C has finite rank. Hence C has finite rank and consequently so does G . This settles Part (a).

For Part (b) if C contains an element of prime order p , then so does H and hence so does $[M, C]$. Consequently $p \in \pi([M, G])$ and hence the p -component of C has finite rank. If C contains an element of infinite order, then so does H . But M/N is

finitely R -generated. Thus, $[M, C]$ contains an element of infinite order as \mathbb{Z} -module and consequently the full torsion-free quotient of C , C and G itself have finite rank. \square

Lemma 4. *Let e be a positive integer and π a set of primes and possibly zero. Let \mathbf{X} denote the class of all R -modules with finite composition length such that $e(M)$ divides e and $\pi(M) \subseteq \pi$. If M is an R -module and G a subgroup of $\text{Aut}_R(M)$ of finite rank such that $M/C_M(G) \in \mathbf{X}$, then $[M, G] \in \mathbf{X}$.*

Lemma 4 completes our proof of the theorem from [3]. Unlike in Propositions 1, 2 (b) and 2 (c), in Lemma 4 we cannot weaken having finite composition length to being Noetherian (example later).

Proof. Let r denote the rank of G and l the composition length $M/C_M(G)$. We prove that $[M, G]$ has composition length at most lr .

Consider a subgroup $H = \langle x_1, x_2, \dots, x_r \rangle$ of G . Then $[M, H] = \sum_i M(x_i - 1)$ has composition length $l_H \leq lr$. Choose such $H \leq G$ so that l_H is maximal. Let $x \in G$ and set $K = \langle H, x \rangle$. Since $\text{rank } G = r$, K too can be generated by r elements and trivially $[M, K] \geq [M, H]$ and $l_K \geq l_H$. Therefore $l_K = l_H$ and $[M, K] = [M, H]$ for every x in G . Consequently $[M, G] = [M, H]$ and $l_G = l_H \leq lr$. Finally $[M, H]$ and hence $[M, G]$ lie in \mathbf{X} by Lemma 3. \square

Lemma 5. *Let G be a subgroup of $\text{Aut}_R M$ of finite rank r and s a positive integer. If $M/\text{Ann}_M(\mathfrak{g}^s)$ has finite R -composition length l , then $M\mathfrak{g}^s$ has finite R -composition length at most lr^s . Also $e(M\mathfrak{g}^s)$ divides $e(M/\text{Ann}_M(\mathfrak{g}^s))$ and $\pi(M\mathfrak{g}^s)$ is contained in $\pi(M/\text{Ann}_M(\mathfrak{g}^s))$.*

Proposition 3 (a) follows at once from Lemma 5.

Proof. We induct on s . The case where $s = 1$ is covered by Lemma 4 (and the bound obtained in its proof). Suppose $s > 1$ and set $N = \text{Ann}_M(\mathfrak{g}^s)$. Apply the case $s = 1$ to $M/N\mathfrak{g}$. This yields that $M\mathfrak{g}/N\mathfrak{g}$ has composition length at most lr , has $e(M\mathfrak{g}/N\mathfrak{g})$ dividing $e(M/N)$ and has $\pi(M\mathfrak{g}/N\mathfrak{g})$ contained $\pi(M/N)$. Now apply induction to $M\mathfrak{g}$, $N\mathfrak{g}$, $(M\mathfrak{g})\mathfrak{g}^{s-1}$ and $(N\mathfrak{g})\mathfrak{g}^{s-1} = \{0\}$. \square

Proof of Proposition 2 (c). Set $C = C_G(M\mathfrak{g})$. By Proposition 1 the group G/C is soluble-by-finite and of finite rank. There is a standard embedding of C into $H = \text{Hom}_R(M/M\mathfrak{g}, M\mathfrak{g})$. In particular, C is abelian and G is soluble-by-finite.

If $e = e(M\mathfrak{g})$, then the \mathbb{Z} -torsion submodule of H has an exponent dividing e . Hence, if C contains an element of prime order p , then p divides e , $p \in \pi(M\mathfrak{g})$ and the maximal p -subgroup of C has finite rank. Therefore the torsion subgroup of C has finite rank. If C is not a torsion, then neither is H or $M\mathfrak{g}$. Then $0 \in \pi(M\mathfrak{g})$, so

by hypothesis the \mathbb{Z} -torsion-free quotient of C has finite rank. Therefore C and G have finite rank. \square

Lemma 6. *Let \mathbf{Y} be a class of R -modules that is closed under taking submodules and direct sums of finitely many modules. Let M be an R -module and G a finitely generated subgroup of $\text{Aut}_R M$ such that $[M, G] \in \mathbf{Y}$. Then $M/C_M(G) \in \mathbf{Y}$.*

Proof. Let $G = \langle x_1, x_2, \dots, x_s \rangle$. Then for each i we have $M/C_M(x_i) \cong M(x_i - 1) \leq M\mathbf{g}$. Thus, we have embeddings $M/C_M(G) \rightarrow \bigoplus_i M/C_M(x_i) \rightarrow (M\mathbf{g})^{(s)}$, which lie in \mathbf{Y} . Therefore $M/C_M(G) \in \mathbf{Y}$. \square

Lemma 7. *Let e and s be positive integers and π a set of primes and possibly zero. Let \mathbf{Y} denote the class of all R -modules with finite composition length such that $e(M)$ divides e and $\pi(M) \subseteq \pi$. If M is an R -module and G a subgroup of $\text{Aut}_R(M)$ of finite rank such that $M\mathbf{g}^s \in \mathbf{Y}$, then $M/\text{Ann}_M(\mathbf{g}^s) \in \mathbf{Y}$.*

Proposition 3 (b) follows at once from Lemma 7 and the bound below.

Proof. Let r denote the rank of G and l the composition length of $M\mathbf{g}^s$ (as R -module of course). We prove that $M/\text{Ann}_M(\mathbf{g}^s)$ has composition length at most lr^s .

Consider first the case where $s = 1$. Choose $H = \langle x_1, x_2, \dots, x_r \rangle \leq G$ such that the composition length l^H of $M/C_M(H)$ is maximal. By Lemma 6 we have $M/C_M(H) \in \mathbf{Y}$ and, cf. the proof of Lemma 6, clearly $l^H \leq lr$. If $x \in G$ and $K = \langle H, x \rangle$, then $C_M(K) \leq C_M(H)$, so $l^H \leq l^K$. By the choice of H we have $l^H = l^K$, $C_M(K) = C_M(H)$ for all x in G . Hence, $C_M(G) = C_M(H)$ and the case where $s = 1$ follows.

Now assume that $s > 1$. Apply the case where $s = 1$ to $M\mathbf{g}^{s-1} \geq M\mathbf{g}^{s-1}\mathbf{g} \in \mathbf{Y}$. Hence, $M\mathbf{g}^{s-1}/A \in \mathbf{Y}$ and has composition length at most lr , where $A = \text{Ann}_M(\mathbf{g}) \cap M\mathbf{g}^{s-1}$. Now apply induction on s to $M/A \geq (M/A)\mathbf{g}^{s-1} = M\mathbf{g}^{s-1}/A \in \mathbf{Y}$. Thus, $M/B \in \mathbf{Y}$ and has composition length at most lrr^{s-1} , where $B/A = \text{Ann}_{M/A}(\mathbf{g}^{s-1})$. Then $B\mathbf{g}^{s-1} \leq A$, so $B\mathbf{g}^s = \{0\}$. But then $M/\text{Ann}_M(\mathbf{g}^s)$ as an image of M/B lies in \mathbf{Y} . The proof is complete. \square

To prove Proposition 3 (c) we need to recall the part of the theory of Krull dimension. All we use can be found, for example, in Sections 6.1 and 6.2 of [4].

Suppose M is a nonzero Noetherian R -module. Then M has Krull dimension, an ordinal $\kappa(M)$, and a critical composition series $M = M_0 > M_1 > \dots > M_n = \{0\}$ of finite length, where if $\alpha_i = \kappa(M_{i-1}/M_i)$ for each i , then $\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_n$. We denote this sequence of ordinals by $\text{sp}(M)$. It does depend only on M , see [4], 6.2.21. Now any nonzero submodule of an α -critical is α -critical ([4], 6.2.11). Thus, if N is a nonzero submodule of M , then $\{M_i \cap N : 0 \leq i \leq n \text{ with the repetitions removed}\}$ is a critical composition series of N and $\text{sp}(N)$ is a subsequence of $\text{sp}(M)$.

Now suppose that $M = M_0 > M_1 > \dots > M_r = N = N_0 > N_1 > \dots > N_s = \{0\}$, where the M_{i-1}/M_i form a critical composition series of M/N and the N_j form a critical composition series of N with $\text{sp}(M/N) = \{\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_r\}$ and $\text{sp}(N) = \{\beta_1 \geq \beta_2 \geq \dots \geq \beta_s\}$. If $\alpha_r \geq \beta_1$, then the above series of M is a critical composition series of M and

$$\text{sp}(M) = \{\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_r \geq \beta_1 \geq \beta_2 \geq \dots \geq \beta_s\}.$$

Suppose $\alpha_{t-1} \geq \beta_1 > \alpha_t$. Let $K \geq N_1$ be a submodule of M_{t-1} maximal subject to $K \cap N = N_1$. Then M_{t-1}/K is β_1 -critical and $\kappa(K) \leq \beta_1$. Hence, if $\text{sp}(K) = \{\gamma_1 \geq \gamma_2 \geq \dots \geq \gamma_u\}$, then

$$\text{sp}(M) = \{\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_{t-1} \geq \beta_1 \geq \gamma_1 \geq \dots \geq \gamma_u\}.$$

Proof of Proposition 3 (c). Consider first the case where $s = 1$. Let $H = \langle x_1, x_2, \dots, x_r \rangle \neq \langle 1 \rangle$ be an r -generated subgroup of G . Then $M/C_M(H)$ embeds into the Noetherian R -module $(M\mathfrak{g})^{(r)}$ and in particular $\text{sp}(M/C_M(H)) = \{\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_m\}$ is a subsequence of the finite sequence $\text{sp}((M\mathfrak{g})^{(r)}) = \{\delta_1 \geq \delta_2 \geq \dots \geq \delta_n\}$. Consider those H with $\alpha_1 = \delta_j$ maximal. Of these H consider those with the number of α_i equal to δ_j maximal. Then of these H consider those with the number of α_i equal to δ_{j+1} maximal. Keep going like this right through to and including the final δ_n .

Let $x \in G$ and set $K = \langle H, x \rangle$. Then $C_M(K) \leq C_M(H)$. Also K is r -generator since G has finite rank r and therefore K is one of the subgroups of G considered during the choice of H . Suppose $C_M(K) < C_M(H)$ and set $\text{sp}(C_M(H)/C_M(K)) = \{\beta_1 \geq \beta_2 \geq \dots \geq \beta_s\}$. If

$$\text{sp}(M/C_M(K)) = \{\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_m \geq \beta_1 \geq \beta_2 \geq \dots \geq \beta_s\}$$

or if $\alpha_{t-1} \geq \beta_1 > \alpha_t$ with

$$\text{sp}(M/C_M(K)) = \{\alpha_1 \geq \alpha_2 \geq \dots \geq \alpha_{t-1} \geq \beta_1 \geq \gamma_1 \geq \dots \geq \gamma_u\}$$

for some γ_j , then we have a contradiction to our choice of H . Therefore $C_M(K) = C_M(H)$ and this is for all x in G . Consequently, $C_M(G) = C_M(H)$. But $M/C_M(H)$ is R -Noetherian (apply Lemma 6 with \mathbf{Y} being the class of Noetherian R -modules). Hence, $M/C_M(G)$ is also R -Noetherian, which settles the ' $s = 1$ ' case of Proposition 3 (c). The proof is now completed by an easy induction on s , cf. the final paragraph of the proof of Lemma 7, again with \mathbf{Y} being the class of Noetherian R -modules. \square

Remark. If we apply the above proof to the case where $R = \mathbb{Z}$, we obtain the following. If $M\mathbf{g}^s$ is additively finitely l -generated, then $M/\text{Ann}_M(\mathbf{g}^s)$ is additively lr^s -generated. A similar remark applies if R is any principal ideal domain. The main step is that $M/C_M(G)$ embeds into the R -module $(M\mathbf{g})^{(r)}$.

Proof of Proposition 4. Set $N = \text{Ann}_M(\mathbf{g}^s)$ and suppose $\dim_F(M/N)$ is finite. If $C = C_G(M/N)$, then G/C is soluble-by-finite and of finite rank by Proposition 1. Also C stabilizes the series

$$M \geq N \geq N\mathbf{g} \geq N\mathbf{g}^2 \geq \dots \geq N\mathbf{g}^s \geq \{0\},$$

each factor of which is additively an elementary abelian p -group (torsion-free abelian if $p = 0$). By standard stability theory, e.g. see [9], 1.21, the group C is nilpotent of class at most s and has a series of lengths s whose factors are elementary abelian p -groups (torsion-free abelian if $p = 0$). Therefore C has finite rank (at most $r_p s$ in our earlier notation). Consequently, G is soluble-by-finite and of finite rank.

Now assume that $\dim_F(M\mathbf{g}^s)$ is finite and set $C = C_G(M\mathbf{g}^s)$. Our proof here is similar to that above. We deduce that C is nilpotent of finite rank (at most $r_p s$), that G/C is soluble-by-finite and of finite rank and that G is soluble-by-finite and of finite rank.

The index in G of its maximal soluble normal subgroup is bounded in terms of $\dim_F(M/N)$ or $\dim_F(M\mathbf{g}^s)$ only and $\text{rank } G$ is bounded in terms of r_p , s and $\dim_F(M/N)$ or $\dim_F(M\mathbf{g}^s)$, respectively, only. \square

Examples. (1) Although in Propositions 1, 2 (b) and 2 (c) and in Lemma 3 we can work with Noetherian modules rather than modules with finite composition length, this is not the case with Proposition 3 (a) or for that matter Lemmas 4 and 5, even if R is the integers.

Let $M = \mathbb{Z} \oplus C$, where C is an additive Prüfer p -group for some prime p (and \mathbb{Z} denotes the integers). If $a \in C$, let (a) denote the automorphism of M given by $(n, c)(a) = (n, na + c)$. Then $G = \{(a) : a \in C\}$ is a subgroup of $\text{Aut}_{\mathbb{Z}}(M)$ isomorphic to C . Clearly G centralizes C , M/C is \mathbb{Z} -Noetherian and $[M, G] = C$, which is \mathbb{Z} -Artinian, but not \mathbb{Z} -Noetherian.

(2) In Proposition 2 (a) we cannot weaken the hypothesis on $M/C_M(G)$ to just being R -Noetherian. For, repeat the construction of Example (1), but now with C being the direct sum of infinitely many Prüfer p -groups. Defining G in the same way, again G centralizes C and $M/C \cong \mathbb{Z}$ is \mathbb{Z} -Noetherian with $\pi(M/C) = \{0\}$. However now G is abelian of infinite rank, being isomorphic to C . Also G is periodic, so every elementary p -section of G is trivial for every p in $\pi(M/C)$.

(3) Although Proposition 2 is the basis of the proof of Proposition 3, Proposition 2 is not the ‘ $s = 1$ ’ case of a more general result along the lines of Proposition 3. As a trivial example let $R = \mathbb{Z}$ and $M = F^{(2)}$, where F is an infinite field of characteristic $p > 0$. Let $G = \text{Tr}_1(2, F)$, the full (lower) unitriangular group of degree 2 over F . If we set $N = M$, then $N\mathfrak{g}^2 = \{0\}$ and $\pi(M/N)$ is empty and yet G is an elementary abelian p -group of infinite rank. Trivially, M/N has finite composition length. Further, $M\mathfrak{g}^2$ is R -Noetherian being $\{0\}$. Thus, there is no ‘ $s = 2$ ’ version for any of the three cases of Proposition 2. If you feel that having these modules $\{0\}$ is a bit of a cheat, set $M_1 = \mathbf{F}_q^{(2)} \oplus M$, where \mathbf{F}_q denotes the field of q -elements, q a prime other than p , and $G_1 = \text{GL}(2, q) \times G$, acting on M_1 in the obvious way. If \mathfrak{g}_1 is the augmentation ideal of G_1 , then M_1 modulo the annihilator of $(\mathfrak{g}_1)^2$ and $M_1(\mathfrak{g}_1)^2$ are both isomorphic to $\mathbf{F}_q^{(2)}$, the set $\pi(\mathbf{F}_q^{(2)}) = \{q\}$, the group G_1 has finite q -rank and yet G_1 has infinite rank.

References

- [1] *R. Brauer, W. Feit*: An analogue of Jordan’s theorem in characteristic p . *Ann. Math.* (2) *84* (1966), 119–131. [zbl](#) [MR](#) [doi](#)
- [2] *M. R. Dixon, L. A. Kurdachenko, J. Otal*: Linear analogues of theorems of Schur, Baer and Hall. *Int. J. Group Theory* *2* (2013), 79–89. [zbl](#) [MR](#)
- [3] *L. A. Kurdachenko, I. Ya. Subbotin, V. A. Chupordia*: On the relations between the central factor-module and the derived submodule in modules over group rings. *Commentat. Math. Univ. Carol.* *56* (2015), 433–445. [zbl](#) [MR](#) [doi](#)
- [4] *J. C. McConnell, J. C. Robson*: Noncommutative Noetherian Rings. With the Cooperation of L. W. Small. *Pure and Applied Mathematics. A Wiley-Interscience Publication*, John Wiley & Sons, Chichester, 1987. [zbl](#) [MR](#)
- [5] *B. A. F. Wehrfritz*: Infinite Linear Groups. An Account of the Group-Theoretic Properties of Infinite Groups of Matrices. *Ergebnisse der Mathematik und ihrer Grenzgebiete* *76*, Springer, Berlin, 1973. [zbl](#) [MR](#) [doi](#)
- [6] *B. A. F. Wehrfritz*: Automorphism groups of Noetherian modules over commutative rings. *Arch. Math.* *27* (1976), 276–281. [zbl](#) [MR](#) [doi](#)
- [7] *B. A. F. Wehrfritz*: On the Lie-Kolchin-Mal’cev theorem. *J. Aust. Math. Soc., Ser. A* *26* (1978), 270–276. [zbl](#) [MR](#) [doi](#)
- [8] *B. A. F. Wehrfritz*: Lectures around Complete Local Rings. *Queen Mary College Mathematics Notes*, London, 1979. [MR](#)
- [9] *B. A. F. Wehrfritz*: Group and Ring Theoretic Properties of Polycyclic Groups. *Algebra and Applications* *10*, Springer, Dordrecht, 2009. [zbl](#) [MR](#) [doi](#)

Author’s address: Bertram A. F. Wehrfritz, School of Mathematical Sciences, Queen Mary University of London, Mile End Road, London E1 4NS, England, e-mail: b.a.f.wehrfritz@qmul.ac.uk.